

February 2020 Vol. 113 No. 2

COMMENTARY

| PRACTICING IN A CLIMATE OF FEAR AND ANXIETY | P16 |
|---|-----|
| [Read Article] | |

EDITORIALS

| WORLD TUBERCULOSIS DAY 2020: IT'S TIME | P17 |
|--|-----|
| [Read Article] | |

ORIGINAL PAPERS

N/A Not applicable


| THE EFFICACY AND TOLERABILITY OF LEVETIRACETAM AS A FIRST LINE MONOTHERAPY IN | |
|---|-----|
| CHILDHOOD EPILEPSY. | P18 |

Connolly et al describe their collective experience with Levetiracetam in 182 children with epilepsy. 75% achieved seizure freedom or >50% reduction in seizure control. In 16% of cases the medication was discontinued because of side-effects. [Read Article]

-Preview-

| Variable (n) | | Response rate (139) | | | |
|--------------------------------|----------------------------|----------------------------|-------------------|------------------|-------|
| | Seizure free > 6 months | > 50% Seizure reduction | No improvement | Test score | p |
| | (75/139) | (29/139) | (35/139) | | |
| Age (138) (median) | 3 years | 3 years | 5 years | 0.871 | >0.05 |
| Gender (139) | % (n) | % (n) | % (n) | | |
| Female (85) | 45% (38) | 25% (21) | 31% (26) | N/A ² | <0.05 |
| Male (54) | 68% (37) | 15% (8) | 17% (9) | | |
| Seizure | | | | | |
| Semiology (139) | | | | | |
| Focal (63) | 54% (34) | 22% (14) | 24% (15) | N/A ² | >0.05 |
| Generalised (64) | 53% (34) | 20% (13) | 27% (17) | | |
| Both (12) | 58% (7) | 17% (2) | 25% (3) | | |
| Underlying condit | ion present (139) | | | | |
| Yes (63) | 46% (29) | 27% (17) | 27% (17) | N/A ² | >0.05 |
| No (76) | 61% (46) | 16% (12) | 24% (18) | | |
| ¹ Kruskal-Wallis te | st | | | | |

Organ donation Transplantation Ireland (ODTI) was established in 2014. Since its commencement the waiting list mortality has decreased from 46% to 33%. [Read Article]



TRENDS IN MENTAL HEALTH PRESENTATIONS TO A PAEDIATRIC EMERGENCY DEPARTMENT...P20

Fitzgerald et al report that the number of presentations have increased from 69 (2006) to 432 (2016). The overall admission rate was 33%. [Read Article]


-Preview-

| | Total Numbers | No. of admissions | Admission rate (%) | Out of hours rate (%) |
|-----------------------------|---------------|-------------------|--------------------|-----------------------|
| Suicidal Ideation | 103 | 48 | 46.6 | 62.1 |
| Deliberate Self Harm | 92 | 27 | 29.3 | 62.0 |
| Depression | 33 | 12 | 36.4 | 36.4 |
| Panic Attacks/Anxiety | 21 | 0 | 0.0 | 57.1 |
| Behavioural | 18 | 1 | 5.6 | 61.1 |
| Eating Disorder | 17 | 7 | 41.2 | 23.5 |
| Psychosis | 5 | 3 | 60.0 | 60.0 |
| Other Psychiatric Complaint | 8 | 1 | 12.5 | 37.5 |
| Total | 297 | 99 | 33.3 | 52.5 |

Table 1: Summary of the mental health presentations to the Emergency Department over a one year period (Sept 2013-August 2014)

| IRISH INQUIRY REPORTS RELATING TO PERINATAL DEATHS AND PREGNANCY LOSS | |
|---|-----|
| Services | P21 |

Helps et al state that there have been 10 national inquiry reports 2005-18 related to pregnancy loss services. 258 recommendations were made across the reports. They including more staff, better training, better data collection. Feedback from key stakeholders was only sought in 2 of the reports. [Read Article]



A ONE YEAR COST ANALYSIS OF ACUTE PAEDIATRIC MENTAL HEALTH PRESENTATIONS......P22

McNicholas et al report that in 2018, 163 youths attended the ED and 122 were admitted. The yearly cost to the hospital was \in 1,028,020, an average of \in 8,426 per patient. [Read Article]

-PreviewTable 1. Details of AMH Attendances and Admissions (N=163)

Acute Mental Health Patients (N=163) **Mean** = 13.6 **Range** = 6-17 **Age** (n = 163)Median =14 SD = 2.39**Gender** (*n* = 163) 104 (64%) Female 59 (36%) Male 89 (55%) ONWH 73 (45%) INWH Time of Presentation (n=162) 79 (89%) admitted 43 (59%) admitted **Presence of Self-Harm** Yes 56 (34.5%) No 106 (65.5%) (n = 162)**Presence of Suicidal Ideation** Yes 57 (35%) No 105 (65%) (n = 162)**Social Work Involvement** Yes 54 (34%) No 106 (67%) (n = 160)

23 (14.2%) to Primary Care

128 (79%) to CAMHS OPD

10 (6.2%) Inpatient CAMHS 1 (0.6%) to Adult MH OPD

Discharge Plans

(n=162)

Njoku and Iveson report a high prevalence of low vitamin D levels among stroke survivors with fatigue. The administration of vitamin D led to improvement in the patients' symptoms. [Read Article]

-Preview-

| | | TTEVIEW | | |
|------------------|------------------------|-----------------------------|-------------------------|---------|
| Т | able 1: Characteri | stics of survivors and vita | min D levels | |
| Variable | All patients (n=58) | Normal vitamin D (n=16) | Low vitamin D (n=42) | P value |
| Age group | | | | |
| <75years | 21(34.5%) | 5(23.8%) | 16(76.2%) | 0.76 |
| >75years | 37(65.5%) | 11(29.7%) | 26(70.3%) | |
| Gender | | | | |
| Female | 33(56.9%) | 10(30.3%) | 23(69.7%) | 0.77 |
| Male | 25(43.1%) | 6(24.0%) | 19(76.0%) | |
| Stroke severity | | | | |
| TIA | 10(17.2%) | 5(50.0%) | 5(50.0%) | 0.12 |
| Stroke | 48(82.8%) | 11(22.9%) | 37(77.1%) | |
| Stroke Type | | | | |
| Ischaemic | 45(77.6%) | 10(22.2%) | 35(77.8%) | 0.22 |
| Haemorrhagic | 3(5.2%) | 1(33.3%) | 2(66.7%) | |
| TIA | 10(17.2%) | 5(50%) | 5(50%) | |
| Mobility | | | | |
| Normal | 31(53.4%) | 7(22.6%) | 24(77.4%) | 0.40 |
| Reduced | 27(46.6%) | 9(33.3%) | 18(66.7%) | |
| MRS | | | | |
| <4 | 46(79.3%) | 14(30.4%) | 32(69.6%) | 0.48 |
| >4 | 12(20.7%) | 2(16.7%) | 10(83.3%) | |
| Living condition | | | | |
| Alone | 16(27.6%) | 2(12.5%) | 14(87.5%) | 0.19 |
| Family/spouse | 42(72.4%) | 14(33.3%) | 28(66.7%) | |

OCCASIONAL PIECES


| ALBRECHT VON GRAEFE'S OPHTHALMIC EDUCATIONAL VISIT TO WILLIAM WILDE IN DUBLIN IN |
|--|
| 1851P24 |
| [Read Article] |
| |
| PRESCRIBING EXERCISE FOR CANCER SURVIVORS: TIME FOR PHYSICIANS TO BECOME MORE |
| PROACTIVEP25 |
| [Read Article] |

CASE REPORTS

Fitzpatrick et al describe a 55 year old man with an indwelling suprapubic which migrated into the urethra and was visible at the external urethral meatus. [Read Article]

O'Sullivan et al describe a case of temporary stress induced cardiomyopathy following a verbal altercation. The pathophysiology of the condition is ill-understood. [Read Article]

-Preview-



LETTERS TO THE EDITOR

| ELECTRONIC VETTING OF IMAGING REQUESTS: INCREASING PRODUCTIVITY AND PATIENT |
|---|
| SAFETYP28 |
| [Read Article] |
| THE COST EFFICIENCY OF AN ONLINE ECHOCARDIOGRAPHY BOOKING SYSTEMP29 |
| [Read Article] |
| THE FUTURE OF IRISH UROLOGY - ARE WE PLANNING AHEAD APPROPRIATELY? |
| [Read Article] |

RESPONSES TO ARTICLES

RESPONSE TO IMJ ARTICLE "PRE HOSPITAL CARE IN IRELAND – INNOVATION NEEDED".......P31 [Read Article]

CONTINUAL PROFESSIONAL DEVELOPMENT

Please take our quiz (link below), at the Irish Medical Organisation to earn extra CPD/CME points.

CPD QUIZ