

May 2020 Vol. 113 No. 5

COMMENTARY	
COVID-19 AND HEALTHCARE WORKERS. [Read Article]	P67
EDITORIALS	
Persistent Perioperative Cognitive Impairment - Prevention, Management and Sharing V Patients	
GLOBAL INITIATIVE FOR ASTHMA 2019 GUIDELINES - NEW CHANGES TO THE TREATMENT OF MASTHMATICS 12 YEARS AND OLDER. [Read Article]	
ORIGINAL PAPERS	
EVIDENCE OF SMALL AIRWAYS DISEASE AND THE IMMEDIATE EFFECTS OF LUMACAFTOR IVACAFTOR IN CHILDREN WITH CYSTIC FIBROSIS.	.P71
Finnegan et al reviewed a cohort of 15 children with cystic fibrosis who were treated lumacaftor/ivacaftor. They noted a transient decrease in FEV1 in 14 of the children. This decline has attributed to bronchoconstriction. [Read Article]	

Table 2: Relationship between ppFEV1 and time from most recent antimicrobial treatment

		Median No. Days	Range
Change Category: 0-9%	(n=7)	63	158
Change Category: 10-20%	(n=8)	24.5 87	
P-value:	0.142		

Smith and Barry report that the introduction of direct oral anticoagulants (DOACs) has resulted in an increase in anticoagulant prescribing. The annual expenditure on DOACs now exceeds €51 million.

[Read Article]




Figure 1. Number of patients receiving an oral anticoagulant under the GMS and DP community drugs schemes from January 2014 to December 2018

Croghan et al report on 100 transobturator procedures on 100 female patients over a 5 year period. Short-term cure/significant improvement was seen in 98 cases. In the longer-term 81% stated that their urinary symptoms were much better.

[Read Article]

51.7 years (33-75) Mean Age at Operation 7.44 years (0.75-34) Mean Symptom Duration Previous pelvic surgery 34/100 (34%) Pre-Operative Urinary Incontinence Clinically Mixed Urodynamic Detrusor Overacijvity 28/68 = 41.2% Urinary Incontinence No Urodynamic Detrusor Overactivity Demonstrated n=68 40/68 = 58.8% Urodynamic Detrusor Overactivity Clinically Pure 8/32 = 25% Stress Urinary Incontinence No Urodynamic Detrusor Overactivity Demonstrated n=32 24/32 = 75%

Table 1: Patient Population

McLoughlin and Carroll report a series of 40 patients with sudden sensorineural hearing loss (SSNHL). In 6 cases the SSNHL was Mumps-related, and at 3 months none showed improvement. The authors stress the importance of the MMR vaccination.

[Read Article]

Table 2. Comparison of Published Studies on Cases of Mumps-Related Hearing Loss

	Severe to Profound Hearing Loss (% of Total Number of Cases)	Number Recovering
Our Study	6 (100%)	0
Morita (2017)	65 (91.5%)	0
Hashimoto (2009)	7 (100%)	0

OCCASIONAL PIECES

CASE SERIES

Faller et al describe 2 respiratory cases requiring mechanical ventilation. The first, a male, aged 25 years was positive adenovirus only. He made a good recovery. The second, a male, aged 43 years was covid-19 positive that was similar to the hubei strain. He subsequently died despite 27 days of ecmo.

[Read Article]




Image from CTPA of patient 2 showing diffuse pulmonary opacification demonstrating an anterior to posterior density gradient with diffuse ground-glass opacification in the anti-dependent portion

VITAMIN D DEBATE

COVID-19 COCOONING AND VITAMIN D INTAKE REQUIREMENTS. P79 [Read Article]
McCartney et al comment on Covid-19, Cocooning and Vitamin D Requirements response Report
VITAMIN D AND INFLAMMATION - POTENTIAL IMPLICATIONS FOR SEVERITY OF COVID-19
VITAMIN D AND COVID-19 - A NOTE OF CAUTION
McCartney et al comment on Vitamin D and Covid-19 - A Note of Caution response letterP83 [Read Article]
VITAMIN D DEFICIENCY AND ARDS AFTER SARS-COV-2 INFECTION
LETTERS TO THE EDITOR
GOING VIRAL - DOCTORS MUST COMBAT FAKE NEWS IN THE FIGHT AGAINST COVID-19
WHAT HAVE WE LEARNED FROM THE COVID-19 PANDEMIC SO FAR
Going with the Flow - Covid-19 Pathway and Experience in Galway University HospitalP87 [Read Article]
RESPONSES TO ARTICLES IN PREVIOUS ISSUES
REDUCING INVASIVE SCREENING FOR GROUP B STREPTOCOCCUS (GBS) IN ASYMPTOMATIC TERM NEONATES
Prescribing Exercise for Cancer Survivors

CONTINUAL PROFESSIONAL DEVELOPMENT

IMO Members can take our CPD Quiz to earn CPD/CME points.

CPD QUIZ

THE IRISH MEDICAL JOURNAL MAILING LIST

Subscribe below to receive the Irish Medical Journal newsletter.

(There are 10 newsletters sent each year with new research updates.)

SUBSCRIBE