

<b>Commentary</b>	<b>Page no.</b>
The Outlook for Extremely Preterm Infants	890
<b>Case Series</b>	
Benign gynaecological pathology causing vascular presentations: Three cases of women with peripheral thromboses Worrall et al. describe 3 women who presented with lower limb thrombosis/ischaemia due to either uterine fibroids or a benign ovarian pathology.	891
<b>Original Papers</b>	
A National Review of Neonatal Jaundice Identification Mulroy et al. report on the assessment of neonatal jaundice across the 19 maternity hospitals. In 6 hospitals all infants are screened for jaundice with a bilimeter.	892
Comparison of use and cost of Ampoules of Atropine, Ephedrine, and Suxamethonium with Pre-Filled Syringes in theatres Hassan and Nadeem have analysed the costs of pre-filled syringes of atropine, ephedrine, and suxamethonium compared with ampoules. The former are less expensive.	893
Delivering Care for Pregnant Women with Rheumatic and Musculoskeletal Diseases O'Farrell et al. report on the services available for pregnant women with rheumatic conditions. The development of a national clinical pathway is needed. One of the current issues is the lack of shared care rheumatology/obstetric clinics.	894
Peripartum hysterectomy McKeown et al. report a series of peripartum hysterectomies. Suspected placenta accrete accounted for 80% of cases.	895
Knowledge on impact of lifestyle and demographic factors on fertility Booth et al. surveyed public awareness of fertility related factors. Among 480 respondents just 53% of clinic attendees and 44% of	896

students identified that assistance should be sought after 1 year trying to conceive.	
<p><b>Laryngectomy in T3 laryngeal cancer</b></p> <p>Sexton et al. report on 26 patients with laryngeal cancers, more than three-quarters being male. They describe the indications for surgery in addition to radiotherapy and chemotherapy.</p>	897
<p><b>Novel Clinics and their Effect on the Elective Orthopaedic Waiting List</b></p> <p>van Heerden et al. describe strategies to reduce waiting lists including evening clinics, a physiotherapist triage clinic, and a virtual fracture clinic. There was a 94% reduction in the numbers waiting more than 18 months.</p>	898
<p><b>The impact of hyponatraemia and hypernatremia on severity and clinical outcomes of acute acquired pneumonia</b></p> <p>Chia et al. report on 420 patients with community acquired pneumonia. Hyponatraemia was associated with a longer hospital stay, and hypernatremia was linked with increased mortality.</p>	904
<b>Short Reports</b>	
<p><b>Assessing Strategies to Reduce Inappropriate Laboratory Testing</b></p> <p>Perry et al. analyse the issue of inappropriate laboratory testing data. The authors use logistic regression to identify candidate Demand Management (DM) strategies for haematinics.</p>	900
<b>Case Reports</b>	
<p><b>Methadone for the management of complex pain and opioid-induced hyperalgesia in a child with Spinal Muscular Atrophy Type 2</b></p> <p>Cleary et al. report a 10 year old child with SMA 2 with severe pain due to scoliosis and the previously inserted rods. The pain management regimen employed is described.</p>	901
<p><b>Subtotal vaginal Hysterectomy</b></p> <p>Azhar et al. describe a case of a case of uterine inversion due to uterine carcinosarcoma in a 91 year old woman. It was treated with radiotherapy and surgery.</p>	902

Edition: January 2024; Vol 117; No. 1

Publication Date: January 18<sup>th</sup>, 2024

Low-grade appendiceal mucinous neoplasm Ibrahim et al. report a 52 year old male with an appendiceal neoplasm. It was confined to the appendix which is associated with a favourable outcome.	903
<b>Letters to the Editor</b>	
Can't intubate, can't oxygenate' (CICO) how to be better prepared	904
Geriatric emergency medicine fellowship improves care for older adults	905
Challenging Case of Hypertensive Encephalopathy with atypical MRI findings: Prolonged Hospital Stay and Multiple Intubations	906