

Editor's Commentary	Page no.
Nirsevimab: Reducing RSV Infections in Infants	970
Case Series	
<p>Contemporary Management of Eustachian Tube Dysfunction: Balloon Eustachian Tuboplasty</p> <p>Jones and Keane describe the use of balloon eustachian tuboplasty. It is recommended in selective cases of eustachian tube dysfunction.</p>	971
Original Papers	
<p>Playing-Related Musculoskeletal Disorders among Classical and Irish Traditional Musicians</p> <p>Joyce et al. report that musculoskeletal disorders affect string players more frequently than keyboard players, 83% vs 51%.</p>	972
<p>Exploring variation in length of hospital stay among an elderly cohort of acute surgical admissions</p> <p>Mahmood et al. report that the length of stay across the 3 age groups 65-74, 75-84, 85 and over was 12.5, 13.3 and 12.5 days respectively. The authors state that factors other than age are important.</p>	973
<p>LILAC: An Integrated Approach to Diagnosis and Intervention in Autism Spectrum Disorder</p> <p>Duff et al. report that using a family centred, multidisciplinary approach, 14 of 16 children received a diagnosis of ASD within 12 weeks.</p>	974
Mpx outbreak: Response and epidemiology of confirmed cases in Ireland from May 2022 to May 2023	975

<p>Clinical Outcome of Type 1 and Type 2 Diabetic Patients with Diabetic Ketoacidosis</p> <p>Chia et al. report a series of 118 diabetic patients with ketoacidosis, 89 type 1, 19 type 2. The clinical outcomes were more severe in the type 2 patients.</p>	976
Short Reports	
<p>Echocardiography Training in Intensive Care: What Have We Learned?</p> <p>Ryan et al. describe an ECHO training programme. It involves supervised scanning of at least 50 patients.</p>	977
Case Reports	
<p>Subacute Combined Degeneration of the Spinal Cord Secondary to Nitrous Oxide Balloons</p> <p>Griffin and Tubridy report a 16 year old boy who developed subacute combined degeneration of the cord due a 4 year history of nitrous oxide use. He responded well to vitamin B12 injections.</p>	978
<p>Management of intraperitoneal bladder rupture with ultrasound guided percutaneous drainage</p> <p>Hehir et al. describe the non-invasive management of an intraperitoneal bladder rupture with the insertion of a percutaneous pigtail catheter.</p>	979
Letters to the Editor	
<p>Pregnancy outcomes of Ukrainian displaced women in Dublin</p>	980
<p>Upper Gastrointestinal Bleeding – Time to redefine our labels?</p>	981

Edition: June 2024; Vol 117; No. 6

Publication Date: June 27th, 2024

Response Letters	
Ensuring Safe and Informed Medical Abortion Practices: A Comprehensive Response to Recent Concerns	982
A Quality Improvement Audit to assess the detail of ICU Admissions in Medical Discharge Summaries	983
Abstracts and Reports	
Irish Melanoma Forum Annual Scientific Meeting 2024	984
Interest Piece	
Three generations of Doctors	985