

<b>Editor's Commentary</b>	<b>Page no.</b>
Customary and Evidence practice	52
<b>Editorials</b>	
Mental Health Service in Emergency Departments in Ireland	53
<b>Occasional Pieces</b>	
The Remarkable Story of Arthur MacMurrough Kavanagh [1831 –1889]	54
<b>Original Papers</b>	
<p>Obstetrical Events Support Team (OEST): Preventing harm, reducing costs from neonatal brain injury</p> <p>McKenna et al. introduce the role and function of the recently established OEST service. The team visits the maternity hospital where the hypoxic ischaemic encephalopathy event occurred, reviews the sequence of clinical care, and highlights the learning points.</p>	55
<p>An audit cycle of compliance to European Society of Gastroenterology Recommendations for Photo-Documentation in Upper Gastrointestinal Endoscopy</p> <p>Jeffrey and Parihar examined the adherence to image documentation in GI endoscopy. The re-audit found a significant improvement in the proportion of cases with optimal images.</p>	56
<p>Alcohol-Associated Hepatitis: A National Point-in-Time Survey</p> <p>McKenna et al. state that 51 liver transplants are performed annually. AA Hepatitis is a relative contraindication. In a survey carried out over a 2 week period only 1 patient met the criteria for an early transplant.</p>	57
<p>Mapping perinatal bereavement care education and training for maternity staff</p> <p>Hennessy and O'Donoghue report on perinatal bereavement training across the maternity hospitals. There is a lack of</p>	58

standardisation among the current programmes that should be addressed.	
Functional Status of Patients Recovering from Severe COVID-19 Sweeney et al report a case of jejunal diverticulitis which settled on medical management.	59
The Burden of Neonatal Late-Onset Sepsis Hoolahan et al. report a series of 37 infants with late-onset sepsis. There were 18 deaths. 70% cultured gram negative bacilli.	60
The use of proton pump inhibitors in patients aged 65 years and above McCluskey et al. report on the high use of PPIs. Among a cohort of 77 hospital patients aged over 65 years, 77% were prescribed PPIs during their admission.	61
<b>Case Reports</b>	
Ehlers-Danlos Syndrome and Anaesthesia: Overcoming Challenges in Caesarean Section with Spinal Anaesthesia Butt and Laal point out that anaesthesia in patients with Ehlers-Danlos syndrome is challenging due to the potential airway collapse of fibro-elastic tissue. In this case the patient was successfully managed with spinal anaesthesia.	62
Anaesthesia Considerations for an Adult with Hurler Syndrome Ryan and Costello outline the anaesthetic concerns when confronted with a case of Hurler's syndrome due to soft tissue airway obstruction. In this case the patient was successfully managed with an LMA.	63
Conservative management of perforation of a duodenal diverticulum Keane et al. report an elderly patient who presented with a perforated duodenal diverticulum which responded to conservative management.	64

<p>Azygos Vein thrombosis associated with Metastatic Adenocarcinoma of the Oesophagus at young age</p> <p>Khan et al. describe a case of azygos vein thrombosis, the underlying cause being carcinoma of the oesophagus. In the preceding months the patient had an episode of SIADH.</p>	65
<p>Jejunal Diverticulitis</p> <p>O’Keeffe et al followed up 101 patients admitted to the ICU with Covid-19, 43 died, 38/58 of the survivors participated, 19 have residual functional limitations.</p>	66
<b>Letters to the Editor</b>	
<p>Climbing the Rungs of Reconstruction — Evolution of Reconstructive Surgery Frameworks</p>	67